

Name: Natalie Harcrow

Agenda Item: B.1. Goal 2.3 | Ready and Resilient Systems

Date Received: 3/6/23 via email

Maui Tomorrow Foundation

Comments on Section 2.3.1 of Draft South Maui Community Plan March 8, 2023

PROPOSED AMENDMENTS TO SECTION 2.3.1 OF THE DRAFT PLAN:

Wastewater

2.3.16 | New developments in South Maui, including projects developed under Chapter 201H, Hawai'i Revised Statutes, and Chapter 2.96 and 2.97, MCC, must connect to County or private recycled water distribution systems when available; if recycled water infrastructure is not readily available, developments shall be designed to allow for future connections.

2.3.17 | **Require the use of gray water and recycled water in County parks and community gardens when safe and appropriate to do so.**

2.3.18 | Support amendments to the Maui Island Plan and Community Plan, and changes in Zoning, for the acquisition of land outside of the SLR-XA for the construction of a new wastewater collection system and treatment options to serve the Mā'alaea area.

2.3.19 | **Eliminate the use of** wastewater injection wells in **Ma'alaea** through the transition to the new system that increases the **disinfection level** and treatment capacity to provide better options for reuse or disposal of wastewater.

2.3.__ | **Eliminate the use of wastewater injection wells in South Maui to reduce ocean pollution by expanding the recycled water distribution system infrastructure and increasing the quality of disinfection.**

Action:

(2.3.__) Expand the recycled water distribution system infrastructure, via techniques such as efficient distribution systems, stormwater capture systems, scalping facilities, natural earth filtering systems, and recycled water storage ponds and lagoons.